

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	42	(dynamic near3 link \$3) and (parameter\$2 or characteristic\$2 or attribut\$2) and compil \$3 and 717/162.CCLS. and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/26 14:35
L3	39	(dynamic near3 link \$3) and (parameter\$2 or characteristic\$2 or attribut\$2) and (compil \$3 same link\$3) and 717/162.CCLS. and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/26 14:36
L4	39	(dynamic near3 link \$3) and execut\$5 and (parameter\$2 or characteristic\$2 or attribut\$2) and (compil \$3 same link\$3) and 717/162.CCLS. and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/26 14:37
L5	15	(dynamic near3 link \$3) and execut\$5 and ((parameter\$2 or characteristic\$2 or attribut\$2) same (generat\$3 or produc \$3)) and (compil\$3 same link\$3) and 717/162.CCLS. and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/26 14:37

S1	2	"20050081184"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:24
S2	132	((dynamic\$4 near3 link \$3) same (attribut\$2)) and "executable" and (dynamic\$4 near4 librar\$3) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 13:43
S3	51	((dynamic\$4 near3 link \$3) same (attribut\$2)) and ("executable" same compil\$3) and ((dynamic\$4 near4 librar\$3) or "dll") and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:42
S4	12	((dynamic\$4 near3 link \$3) same (attribut\$2)) and ("executable" same compil\$3) and ((dynamic\$4 near4 librar\$3) or "dll") and (attribut\$2 near3 (paramete\$2 or varia \$5 or characteristi\$2)) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:37
S5	8	((dynamic\$4 near3 link \$3) near5 (attribut\$2)) and ("executable" same compil\$3) and ((dynamic\$4 near4 librar\$3) or "dll") and (attribut\$2 same (paramete\$2 or varia \$5 or characteristi\$2)) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 11:57

S6	51	((dynamic\$4 near3 link \$3) same (attribut\$2)) and ("executable" same compil\$3) and ((dynamic\$4 near4 librar\$3) or "dll") and ("program" or "function") and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 15:53
S7	19	((dynamic\$4 near3 link \$3) same (attribut\$2)) and ("executable" same compil\$3) and ((dynamic\$4 near4 librar\$3) or "dll") and (dynamica\$3 near2 link \$2); "AB." and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 16:51
S8	12	(US-20050081184-\$ or US-20040010498-\$). did. or (US-7150010-\$ or US-7089172-\$ or US-6334213-\$ or US-5905649-\$ or US-5872973-\$ or US-6442752-\$ or US-7055146-\$ or US-6728955-\$ or US-5923882-\$).did. or (US-20050081184-\$). did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/14 09:17
S9	8	S8 and (attribut\$2 same (parameter\$2 or characteristic\$2 or variation\$2))	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/14 13:26
S10	4	S8 and ("hex" or "ebodic" or "ascii" or ("32" near2 "bit") or ("64" near2 "bit"))	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/14 13:27
S11	2	(dynamic\$4 near3 link \$3).AB. and (attribut \$2) and ("ascii" same "ebodic") and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 13:45

S12	147	((dynamic\$4 near3 link \$3)".AB") or (dll.AB.)) and ((attribut\$2 same "parameter") and (compil\$3 same link \$3) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 15:57
S13	144	((dynamic\$4 near3 link \$3)".AB") or (dll.AB.)) and ((attribut\$2 same "parameter") and (compil\$3 same link \$3) and "program" and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 15:59
S14	38	((dynamic\$4 near3 link \$3)".AB") or (dll.AB.)) and ((attribut\$2 same "parameter") and (compil\$3 same link \$3) and "program" and 717/101-174. CCLS. and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 15:57
S15	7	((dynamic\$4 near3 link \$3).AB.) or (dll.AB.)) and ((attribut\$2 same "parameter") and (compil\$3 same link \$3) and "program" and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:21
S16	0	deedwaniya-anuja.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:21
S17	1	deedwaniya-anuja.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:22

S18	0	leung-chauho.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:22
S19	0	leung-magdalen.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:22
S20	1	leung-chauho- magdalen.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:23
S21	0	lichtensien-barry-I.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:23
S22	1	lichtenstein-barry-I.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:23
S23	4	porter-eric-lynn.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:24
S24	1	S23 and (dynamic\$4 near3 link\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:24
S25	3	sudlik-david-j.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:25

S26	1	S25 and (dynamic\$4 near3 link\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:25
S27	0	tallman-rihard.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:25
S28	7	tallman-richard.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:25
S29	1	S28 and (dynamic\$4 near3 link\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 16:25
S30	1	((dynamic\$4 near3 link \$3) same (attribut\$2)) and ("executable" same compil\$3) and ((dynamic\$4 near4 librar\$3) or "dll") and (dynamic\$3 near2 link \$2) and (overload\$3 or interact5) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 16:53
S31	16	(US-20050081184-\$ or US-20040010498-\$). did. or (US-7089172-\$ or US-7150010-\$ or US-6735598-\$ or US-6295645-\$ or US-6442752-\$ or US-5930795-\$ or US-5872973-\$ or US-6728955-\$ or US-7055146-\$ or US-6499137-\$ or US-5923882-\$ or US-6334213-\$ or US-5905649-\$).did. or	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/29 16:53

		(US-20050081184-\$). did.				
S32	1	S31 and ((dynamic\$4 near3 link\$3) same (attribut\$2)) and ("executable" same compil\$3) and ((dynamic\$4 near4 librar\$3) or "dll") and (dynamic\$3 near2 link \$2) and (overload\$3 or interact5) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 17:06
S33	2	S31 and overload\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 17:06
S34	9	((dynamic\$4 near3 link \$3) near5 (attribut\$2)) and ("executable" same compil\$3) and ((dynamic\$4 near4 librar\$3) or "dll") and (attribut\$2 same (paramete\$2 or varia \$5 or characteristi\$2)) and ("executable" or "object file") and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 12:17
S35	16	(US-20040010498-\$ or US-20050081184-\$). did. or (US-5872973-\$ or US-6735598-\$ or US-6728955-\$ or US- 5923882-\$ or US- 6442752-\$ or US- 6334213-\$ or US- 5905649-\$ or US- 7055146-\$ or US- 7150010-\$ or US- 6499137-\$ or US- 5930795-\$ or US- 6295645-\$ or US- 7089172-\$).did. or (US-20050081184-\$).	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:11

		did.				
S36	0	S35 and (method near3 overload\$3)	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:11
S37	0	S35 and (metho\$2 near3 overload\$3)	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:11
S38	2	S35 and ((metho\$2 or functio\$2 or attribut \$2) near3 overload\$3)	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:18
S39	0	S35 and ((metho\$2 or functio\$2 or attribut \$2) near3 overload\$3) and (compil\$3 near4 (iterative\$2 or repeated \$2))	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:19
S40	7	((metho\$2 or functio \$2 or attribut\$2) near3 overload\$3) and (compil\$3 near4 (iterative\$2 or repeated \$2)) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:28
S41	6	((metho\$2 or attribut \$2) near4 overload\$3) and (compil\$3 near4 (iterative\$2 or repeated \$2)) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:25
S42	6	((metho\$2 or attribut \$2) near4 overload\$3) and (compil\$3 near4 (iterative\$2 or repeated \$2))	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:25
S43	3429	((metho\$2 or functio \$2 or attribut\$2) near3 overload\$3) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:26



S44	1883	((metho\$2 or attribut\$2) near3 overload\$3) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:26
S45	69	((attribut\$2) near3 overload\$3) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:26
S46	23	((attribut\$2) near2 overload\$3) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:27
S47	1	((attribut\$2) near2 overload\$3) and (dynamic near3 link) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:27
S48	16	(compil\$3 near4 (iterative\$2 or repeated\$2)) and (dynamic near2 link\$3) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:39
S49	0	S48 and S46	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:29
S50	8	S48 and (overload\$3 or (definitions or (defin\$3 near3 (multip\$3 or various))))	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:41

S51	19	(US-20040010498-\$ or US-20050081184-\$ or US-20030101208-\$ or US-20020059054-\$). did. or (US-5872973-\$ or US-6735598-\$ or US-6728955-\$ or US-5923882-\$ or US-6442752-\$ or US-6334213-\$ or US-5905649-\$ or US-7055146-\$ or US-7150010-\$ or US-6499137-\$ or US-5930795-\$ or US-6295645-\$ or US-7089172-\$ or US-6295642-\$).did. or (US-20050081184-\$). did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:53
S52	0	S51 and (compil\$4 near3 iterativ\$3) and (overload\$3 near3 (attribut\$2 or metho\$2))	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:54
S53	0	S51 and (compil\$4 near3 iterativ\$3) and (overload\$3 near3 (attribut\$2 or metho\$2 or function\$2))	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/11/29 12:55
S54	16	((dynamic\$4 near4 librar\$3) or "dll") and (overload\$3 and (attribut\$2 same (paramete\$2 or varia\$5 or characteristi\$2))) and ((multiple or plural\$3) near3 ("executable" or "object file")) and (@ad < "20030930" or @prad < "20030930" or @rlad < "20030930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 12:58

6/ 26/ 08 2:45:59 PM

C:\Documents and Settings\cchow\My Documents\EAST\Workspaces\10675117.wsp